



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Densification and Cracking Behavior of Modifier-Free Mixed Network Glasses

Invited Talk

Smedskjær, Morten Matstrup

Publication date:
2018

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Smedskjær, M. M. (2018). *Densification and Cracking Behavior of Modifier-Free Mixed Network Glasses: Invited Talk*. Abstract from ICG Annual Meeting 2018, Yokohama, Japan.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Densification and Cracking Behavior of Modifier-Free Mixed Network Glasses

Morten M. Smedskjaer

Department of Chemistry and Bioscience, Aalborg University, Aalborg, Denmark

Obtaining a combination of high crack resistance and hardness is important for many glass applications, but unfortunately these tend to be mutually exclusive. Focusing here on mixed network glasses without the presence of network modifiers, we propose a new strategy for overcoming this conflict by identifying new structural motifs for designing hard and crack resistant glasses. Specifically, we report an unusual phenomenon of increase in the densification contribution to deformation of mixed network $\text{Al}_2\text{O}_3\text{-B}_2\text{O}_3\text{-P}_2\text{O}_5\text{-SiO}_2$ bulk glasses following pre-densification of the glasses at elevated temperature [1]. These glasses feature the unusual AlPO_4 and BPO_4 units with four bridging oxygens in PO_4 tetrahedra, and their relatively low atomic packing density favors network densification when subjected to high local stress [2]. However, hitherto unique to the studied glass composition, the high-temperature densification treatment reduces the residual stress during subsequent sharp contact loading, which in turn leads to a simultaneous increase in hardness and crack resistance. Based on structural characterization using micro-Raman and NMR spectroscopy, we show that the more densified medium-range order of the hot compressed glass results in formation of certain structural states, which could not be reached through any composition or thermal path. Accessing such “forbidden” structural states through the identified densification mechanism thus pushes the boundaries for structural design of mechanically resistant glasses.

[1] Kapoor S., Januchta K., Youngman R. E., Guo X. J., Mauro J. C., Bauchy M., Rzoska S. J., Bockowski M., Jensen L. R., Smedskjaer M. M. Combining high hardness and crack resistance in mixed network glasses through high temperature densification. *Physical Review Materials* **2**, 063603 (2018).

[2] Kapoor S., Guo X. J., Youngman R. E., Hogue C. L., Mauro J. C., Rzoska S. J., Bockowski M., Jensen L. R., Smedskjaer M. M. Network Glasses Under Pressure: Permanent Densification in Modifier-Free $\text{Al}_2\text{O}_3\text{-B}_2\text{O}_3\text{-P}_2\text{O}_5\text{-SiO}_2$ Glasses. *Physical Review Applied* **7**, 054011 (2017).